



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# THE BRYOLOGIST

AN ILLUSTRATED BIMONTHLY

DEVOTED TO

## NORTH AMERICAN MOSSES

HEPATICS AND LICHENS

VOLUME XV

ABEL JOEL GROUT, Ph.D., Editor

---

Associate Editors

GEORGE N. BEST, M. D.

JOHN M. HOLZINGER, M. D.

ALEXANDER W. EVANS, Ph.D.

LINCOLN W. RIDDLE, Ph.D.

and the

Advisory Board Officers of the Society

NEW DORP, NEW YORK

1912

# INDEX 1912

(Compiled by Annie Morrill Smith)

\* Star Indicates Illustrations

Abies .....	83	Barbula rigida .....	93
Acer sp. ....	84	“ semitorta .....	93
Acrocladium cuspidatum .....	39	“ subfallax .....	93
Acrolejeunea torulosa .....	63	“ unguiculata .....	39, 95
Acutifolia .....	74	“ vinealis .....	93
Aesculus .....	85	Bartramiaceæ .....	35
Alectoria .....	30	Bartramia pomiformis .....	39
“ oregana .....	86	Bazzania deflexa .....	89
Alicularia .....	34	“ tricenata .....	89
Alsia circinalis .....	93	“Black Egypt” .....	100
“ longipes .....	93	Blyttia .....	34
Amblystegiella adnata .....	52	Brachiolejeunea bahamensis n. sp. ...	91
Amblystegium .....	37	“ bicolor .....	62
“ compactum .....	50	“ corticalis .....	62, 63
“ curvipes .....	50	“ densiflora .....	62
“ Hausmannii .....	50	“ densifolia .....	62
“ hygrophilum .....	50	“ insularis .....	62
“ irriguum .....	95	Brachythecium .....	37
“ Juratzkanum .....	50, 95	“ acuminatum f. ...	95
“ Kochii .....	50	“ Bolanderi .....	93
“ leptophyllum .....	50	“ californicum .....	93
“ radicale .....	50	“ collinum .....	39
“ rigescens .....	50	“ digastrum .....	95
“ riparium .....	39, 50, 93	“ flexicaule .....	39
“ serpens .....	39, 50, 93	“ glareosum .....	39
“ trichopodium .....	50	“ plumosum .....	39, 95
“ varium .....	93	“ populeum .....	39
Ampelopsis .....	45	“ rivulare .....	39
Amphidium lapponicum .....	39	“ rutabulum .....	39, 93
Anacamptodon splachnoides .....	95	“ salebrosus .....	39
Anacolia Menziesii .....	93	“ Starkei .....	39
Andreaea petrophila .....	39	“ velutinum .....	39
Aneura .....	34	Bryhnia novæ-angliæ .....	39
“ latifrons .....	90	Bryum argenteum .....	39, 68, 93
“ multifida .....	90	“ caespitium .....	39, *97
“ pinguis .....	90	“ capillare .....	39, 68
“ pinnatifida .....	90	“ inclinatum .....	39
“ sessilis .....	90	“ intermedium .....	51, 95
Anomodon .....	42	“ longicolle .....	51
“ apiculatus .....	39, 95	“ meeseoides .....	51
“ attenuatus .....	39, 42	“ neomexicanum .....	51
“ minor .....	39	“ obconicum .....	93
“ rostratus .....	39	“ pallens .....	39
Antitrichia californica .....	93	“ pallescens .....	39
Aphanorrhagma serratum .....	95	“ pendulum .....	39
Aplozia .....	34	“ pseudotriquetrum .....	39, 95
Archilejeunea .....	91	“ torquescens .....	39, 93
Arnhonia polygramma .....	83	“ turbinatum .....	95
“ radiata .....	83	Buellia inquilina .....	48
Arthopyrenia biformis .....	48	Buxbaumia aphylla .....	39
Aschismae .....	75	Calicium hyperellum .....	83
Asterella hemisphærica .....	90	Caloplaca cirrochroa .....	86
“ tenella .....	90	“ gilva .....	85
Astomi .....	75	“ murorum .....	86
Astomum crispum .....	39	“ pollinii .....	47
Aulacomnium androgynum .....	95	Calypogeia Neesiana .....	89
“ heterostichum .....	39	“ sphagnicola .....	89
“ palustre .....	39	“ suecica .....	89
“ turgidum .....	39	“ Sullivantii .....	89
Barbilophozia Hatcheri .....	12	“ tenuis .....	89
Barbula convoluta .....	39	“ Trichomanis .....	11, 89
“ muralis .....	68		

Camptothecium arenarium . . . . .	93	Dicranum scoparium . . . . .	39
“ pinnatifidum . . . . .	93	“ strictum . . . . .	39
Campyllum chrysophyllum . . . . .	39	“ undulatum . . . . .	39
“ polygamum . . . . .	39	Didymodon rubellus . . . . .	39
Campylopus flexuosus . . . . .	38	“ tophaceus . . . . .	93
Catharinea angustata . . . . .	39	Diplophyllia apiculata . . . . .	89
“ undulata . . . . .	39, 67	“ exsectæformis v. . . . .	
Cephalozia connivens . . . . .	44	“ æquiloba . . . . .	56
“ divaricata . . . . .	89	“ taxifolia . . . . .	89
“ Francisci . . . . .	58	Diplophyllum albicans v. taxi-	
“ lunulæfolia . . . . .	89	folium . . . . .	89
“ multiflora . . . . .	89	Distichium capillaceum . . . . .	39
“ serriflora . . . . .	89	Ditrichum flexicaule . . . . .	39
“ Sullivantii . . . . .	89	“ homomallum . . . . .	40
“ virginiana . . . . .	89	“ pallidum . . . . .	40
Cephaloziella Hampeana . . . . .	89	“ rhynchostegium . . . . .	96
“ Starkii . . . . .	89	Drummondia clavellata . . . . .	40
“ Sullivantii . . . . .	89	Echinodium . . . . .	32
Ceratodon purpureus . . . . .	39, 68	“ hispidum . . . . .	31
Ceratolejeunea integrifolia n. sp. . . . .	92	Encalypta ciliata . . . . .	40
Chænotheca phæocephala . . . . .	82	“ vulgaris . . . . .	94
“ phæocephalum . . . . .	82	Endocarpus intestiniforme . . . . .	46
Cheilelejeunea . . . . .	61	Eucalyx . . . . .	34
Chiloscyphus ascendens . . . . .	89	Eucladii . . . . .	75
“ pallescens . . . . .	89	Eucladium verticillatum . . . . .	94
Cirriphyllum Boscii . . . . .	95	Euosmolejeunea Montagnei . . . . .	59
Claopodium Bolanderi . . . . .	42	Eurhynchium . . . . .	41
“ laxifolium . . . . .	42	“ hians . . . . .	40
“ leuconeurum, . . . . .		“ prælongum . . . . .	94
“ . . . . .	42, 43, 44, 93	Fabronia octoblepharis . . . . .	43, 94
“ pellucinerve . . . . .	43	“ pusilla . . . . .	43
“ Whippleanum . . . . .	42, 43, 44	Fimbriaria tenella . . . . .	90
Clastobryum americanum . . . . .	31	Fissidens adiantoides . . . . .	40
“ indicum . . . . .	31	“ cristatus . . . . .	40
Climacium dendroides . . . . .	39	“ grandifrons . . . . .	95
“ ruthenicum . . . . .	40	“ limbatus . . . . .	94
Collema . . . . .	84	“ minutulus . . . . .	96
Cololejeunea Biddlecomiæ . . . . .	88	“ obtusifolius . . . . .	96
“ calcarea . . . . .	88	“ osmundoides . . . . .	40
<b>Cololejeunea Camilli</b> comb. . . . .		“ subbasilaris . . . . .	96
nov. . . . .	*54, 59, 60, 61	“ taxifolius . . . . .	40
Cololejeunea diaphana n. sp., 60, 61, 91		Floribundaria pendula . . . . .	40
“ Montagnei . . . . .	59	Fontinalis antipyretica . . . . .	40
Cratoneuron commutatum . . . . .	39	“ hypnoides . . . . .	40
Crossosoma californicum . . . . .	46	Fossombronina Dumortieri . . . . .	90
Crossotolejeunea bermudiana . . . . .		“ foveolata . . . . .	90
n. sp. . . . .	91	“ pusilla . . . . .	90
Cyanophyceæ . . . . .	85	Frullania . . . . .	22, 25, 67
Cynodontium polycarpum . . . . .	39	“ æolotis . . . . .	88
<b>Dermatocarpon intestiniforme</b> . . . . .		“ arietina . . . . .	22
n. comb. . . . .	46	“ Asagrayana . . . . .	62
Desmatodon arenaceus . . . . .	93	“ Bolanderi . . . . .	25
“ Guepini . . . . .	93	“ Brittoniæ . . . . .	88
“ nervosus . . . . .	93	“ caroliniana . . . . .	22
“ plinthobius . . . . .	93	“ Catalinæ . . . . .	26
“ Porteri . . . . .	95	“ cobrensis . . . . .	25, 26
Dichodontium pellucidum . . . . .	39	“ dilatata . . . . .	88
Dicranella heteromalla . . . . .	39	“ Donnellii . . . . .	22
“ rufescens . . . . .	39	“ eboracensis . . . . .	22, 25, 88
“ squarrosa . . . . .	39	“ fragilifolia . . . . .	88
Dicranoweisia cirrhata . . . . .	93	“ gibbosa . . . . .	22
“ crispula . . . . .	39	“ inflata . . . . .	25, 26
Dicranum congestum . . . . .	39	“ Kunzei . . . . .	22
“ falcatum . . . . .	39	“ Oakesiana . . . . .	26
“ flagellare . . . . .	39	“ obcordata . . . . .	22
“ fulvellum . . . . .	39	“ pennsylvanica . . . . .	88
“ fuscescens . . . . .	68, 95	“ <b>Rappii</b> sp. nov., . . . . .	
“ majus . . . . .	39	“ . . . . .	22, *24, 25, 26
		“ riparia . . . . .	88

Frullania saxicola . . . . .	22, 26	Jungermannia excisa crispa . . . . .	90
“ Selwyniana . . . . .	88	“ exsecta . . . . .	56
“ squarrosa . . . . .	22, 25	“ exsectæformis . . . . .	56
“ virginica . . . . .	22, 88	“ fossombronioides . . . . .	90
Funaria calcarea . . . . .	94	“ Gillmani . . . . .	89
“ convoluta . . . . .	94	“ Hatcheri . . . . .	12
“ hygrometrica, 40, 67, 68, 94	94	“ Helleriana . . . . .	90
Galeiloba . . . . .	23	“ incisa . . . . .	90
Georgia geniculata . . . . .	40	“ inflata . . . . .	90
“ pellucida . . . . .	40	“ lanceolata . . . . .	34, 89
Grimaldia barbifrons . . . . .	90	“ laxa . . . . .	90
“ fragans . . . . .	90	“ Michauxii . . . . .	90
“ rupestris . . . . .	90	“ minuta . . . . .	90
Grimmia apocarpa . . . . .	40, 68	“ Schraderi . . . . .	89
“ californica . . . . .	94	“ scitula . . . . .	56
“ leucophæa . . . . .	94	“ setiformis . . . . .	90
“ pilifera . . . . .	40	“ ventricosa . . . . .	90
“ trichophylla . . . . .	94	“ Wallrothiana . . . . .	90
Gymnomitrium adustum . . . . .	90	“ Wattiana . . . . .	II, 89
Gymnostomum calcareum . . . . .	40, 94	Kalmia . . . . .	62
“ læve, 75, 76, 77, 78, 79, *80		Kantia Sullivantii . . . . .	89
Habrodon Notarisii . . . . .	43	“ Trichomanis . . . . .	89
Haplohymenium triste . . . . .	43	“ “ tenuis . . . . .	89
Haplozia . . . . .	34	Lecania erysibe . . . . .	85
Harpalejeunea reflexula n. sp. . . . .	91	Lecanora cirrochroa . . . . .	86
Hedwigia albicans . . . . .	10, 40, 94	“ melanaspis alphoplaca . . . . .	46
Helodium paludosum . . . . .	40	“ saxicola . . . . .	48
Heppia alumenensis sp. nov. . . . .	84	Lecidea <b>bullata</b> sp. nov. . . . .	45
Herpetineuron Toccoæ . . . . .	40	“ leucophæa f. genuina . . . . .	47
Heteromeles arbutifolia . . . . .	48	“ ruginosa . . . . .	84
Homalotheciella subcapillata . . . . .	96	<b>Legania shastensis</b> sp. nov. . . . .	85
Homomallium adnatum . . . . .	40, 52	Liolejeunea grandiflora sp. nov. . . . .	91
“ mexicanum . . . . .	52	Lejeunea calcarea . . . . .	88
“ “ latifolium . . . . .	52	“ Camilli . . . . .	59
Hookeriaceæ . . . . .	27	“ cavifolia . . . . .	88
Hygroamblystegium filicinum . . . . .	40	“ clypeata . . . . .	88
Hygrohypnum . . . . .	37	“ flava . . . . .	88
“ molle . . . . .	40	“ floridana n. sp. . . . .	91
Hylocomium brevirostre . . . . .	40	“ lucens . . . . .	88
“ proliferum . . . . .	40	“ Montagnei . . . . .	59
“ pyrenaicum . . . . .	40	“ pililoba . . . . .	61
“ umbratum . . . . .	40	“ serpyllifolia americana . . . . .	88
Hymenostomi . . . . .	75	“ spiniloba . . . . .	61
Hymenostylium curvirostre . . . . .	40	Lejeuneæ . . . . .	54
Hypnum . . . . .	41	Lepidozia setacea . . . . .	44, 45
“ aduncum . . . . .	68	“ sylvatica . . . . .	44
“ flexile . . . . .	29	Leptobryum pyriforme . . . . .	40, 94
“ leuconeurum . . . . .	44	Leptocolea Jooriana . . . . .	23
“ patientiæ . . . . .	96	Leptodictyum trichopodium . . . . .	50
“ Schreberi . . . . .	40	Leptoscyphus . . . . .	34
“ uncinatum . . . . .	40	Leskea ? algarvica . . . . .	42, 44
“ Whippleanum . . . . .	44	Leskea gracilescens . . . . .	96
Inophlœa (Subgenus), 1, 3, 63, 64, 70, 71, 72, 73, 74		“ obscura . . . . .	40
Isopterygium silesiacum . . . . .	40	“ polycarpa . . . . .	96
“ turfaceum . . . . .	40	Leucobryum glaucum . . . . .	31
Isothecium Brewerianum . . . . .	94	Leucodontiopsis Camerooniæ . . . . .	28
Jamesoniella . . . . .	34	“ floridana . . . . .	*27, 28
“ autumnalis . . . . .	89	“ plicata . . . . .	26, 27, 28
Jubula Hutchinsii v. Sullivantii . . . . .	88	Leucodontaceæ . . . . .	28
“ pennsylvanica . . . . .	88	Leucodontopsis . . . . .	26
Jungermannia . . . . .	34	“ <b>floridana</b> comb. nov. . . . .	28
“ alpestris . . . . .	90	Leucolejeunea clypeata n. sp. . . . .	88, 91
“ barbata . . . . .	89	“ conchifolia n. sp. . . . .	91
“ “ attenuata . . . . .	90	“ rotundistipula n. sp. . . . .	91
“ biformis . . . . .	90	“ sp. . . . .	91
“ excisa . . . . .	90	“ uncioloba n. sp. . . . .	91
		“ zanthocarpa n. sp. . . . .	91
		Lichen erysibe . . . . .	85

Lichen phæocephalus . . . . .	82	Neckera cochlearifolia . . . . .	29
Lioclarena . . . . .	34	“ (Pilotrichum?) floridana, . . . . .	27, 28
“ lanceolata . . . . .	89	“ pennata . . . . .	40
Litophloea (subgenus) . . . . .	2, 3, 63, 74	“ pusilla . . . . .	40
Lophocolea Austini . . . . .	89	“ turgescens . . . . .	29
“ Hallii . . . . .	89	Neesiella rupestris . . . . .	90
“ heterophylla . . . . .	89	Nephromopsis platyphylla . . . . .	86
“ Macounii . . . . .	89	Nostoc . . . . .	85
Lophozia . . . . .	57	Notothylas melanospora . . . . .	90
“ alpestris . . . . .	90	“ orbicularis . . . . .	90
“ attenuata . . . . .	12, 90	Octoblepharum albidum . . . . .	40
“ badensis . . . . .	11	Odontolejeunea longispica n. sp. . . . .	91
“ barbata . . . . .	89	Odontoschisma prostratum . . . . .	89
“ Bauermani . . . . .	12	“ sphagni . . . . .	89
“ bicrenata . . . . .	90	Oncophorus virens . . . . .	40
“ excisa . . . . .	35, 90	“ Wahlenbergii . . . . .	40
“ exsecta scitula . . . . .	56	Opegrapha abnormis . . . . .	83
“ Flörkei . . . . .	12	“ atra . . . . .	84
“ heterocolpa . . . . .	11, 12, 89	Orthotrichum Bolanderi . . . . .	94
“ incisa . . . . .	90	“ cylindrocarpum . . . . .	94
“ inflata . . . . .	89, 90	“ fastigiatum . . . . .	40
“ Kaurini . . . . .	11, 12	“ Lyellii . . . . .	94
“ longiflora . . . . .	35	“ Porteri . . . . .	96
“ lycopodioides . . . . .	12	“ Rogeri . . . . .	40
“ marchica . . . . .	90	“ rupestre . . . . .	94
“ Muelleri . . . . .	11, 12	“ speciosum . . . . .	67
“ porphyroleuca . . . . .	35	Oxyrrhynchium prælongum . . . . .	40
“ ventricosa . . . . .	35, 90	“ rusciforme . . . . .	40
Lunularia cruciata . . . . .	90	Pallavicinia . . . . .	34
“ vulgaris . . . . .	90	“ Flotowiana . . . . .	55
Marsupella adusta . . . . .	90	“ hibernica . . . . .	54, 55
“ ustulata . . . . .	90	“ Lyellii . . . . .	54, 55
Meteorium . . . . .	27	Parmelia enteromorpha . . . . .	86
“ flexilis . . . . .	29	“ olivaria . . . . .	85
Metzgeria disciformis . . . . .	92	“ perlata B. olivaria . . . . .	85
“ oligotricha n. sp. . . . .	92	Pedinophyllum interruptum . . . . .	89
“ uncigera n. sp. . . . .	92	Pellia calycina . . . . .	90
“ vivipara n. sp. . . . .	92	“ endiviaefolia . . . . .	90
Microlejeunea bullata . . . . .	23	“ Fabroniana . . . . .	90
“ lætevirens . . . . .	88	“ Neesiana . . . . .	90
“ Ruthei . . . . .	62	Philonotis fontana . . . . .	40
Mniobryum albicans . . . . .	40, 94, 96	Phragmicoma bicolor . . . . .	62
Mnium . . . . .	38	Physcomitrium acuminatum . . . . .	40
“ affine . . . . .	40	Pilotrichella cochlearifolia . . . . .	29
“ cinclidioides . . . . .	40	“ erosa-mucronata . . . . .	29
“ flagellare . . . . .	10	“ flexilis . . . . .	29
“ hornum . . . . .	68	“ robusta . . . . .	29
“ marginatum . . . . .	96	“ floridana . . . . .	28
“ medium . . . . .	40	“ recurvo-mucronata . . . . .	29
“ orthorhynchum . . . . .	40	“ turgescens . . . . .	29
“ punctatum . . . . .	40	Pinus ponderosa . . . . .	86
“ rostratum . . . . .	40, 67	Pirea cymbifolia . . . . .	27
“ serratum . . . . .	40	“ Ludovicæ . . . . .	27
“ silvaticum . . . . .	40	Placodium cirrochroum . . . . .	86
“ stellare . . . . .	40	“ ferrugineum pollinii . . . . .	47
Moerckia . . . . .	34	Plagioclila . . . . .	62
Molendia tenuinervis . . . . .	75, 79	“ asplenioides . . . . .	89
Mycoporellum ellipticum . . . . .	46	“ interrupta . . . . .	89
“ Eschweileri . . . . .	46	“ porelloides . . . . .	89
“ Hassei sp. nov. . . . .	46	“ Smallii n. sp. . . . .	91
“ Lahmi . . . . .	46	“ spinulosa . . . . .	89
Mylia . . . . .	34	“ Sullivantii . . . . .	89
“ anomala . . . . .	44	Plagiopus oederi . . . . .	40
Myurella gracilis . . . . .	96	Plagiothecium denticulatum . . . . .	40
Nardia . . . . .	34	“ geophilum . . . . .	69
“ biformis . . . . .	90	“ lætum neomexi- . . . . .	52
“ fossombronioides . . . . .	90	“ canum . . . . .	52
“ geoscyphus . . . . .	55	“ micans . . . . .	96
Neckera . . . . .	52		

Plagiothecium piliferum . . . . .	40	Riccia fluitans . . . . .	91
“ silvaticum . . . . .	40	“ “ v. Sullivantii . . . . .	91
“ striatellum . . . . .	96	“ lamellosa . . . . .	90
“ sylvaticum . . . . .	96	“ lutescens . . . . .	91
“ turfaceum . . . . .	96	“ natans . . . . .	91
Platygyrium repens . . . . .	96	“ tenuis . . . . .	91
Pleuridium Bolanderi . . . . .	94	Ricciella crystallina . . . . .	90
Pleuroziopsis ruthenica . . . . .	40	“ fluitans . . . . .	91
Pogonatum contortum . . . . .	40	“ membranacea . . . . .	91
“ urnigerum . . . . .	40	“ Sullivantii . . . . .	91
Pohlia nutans . . . . .	95, 96	Riccioarpus natans . . . . .	91
Polyblastia intercedens . . . . .	82	Saëlania glaucescens . . . . .	41
Polytrichum alpinum . . . . .	40	Scapania dentata . . . . .	89
“ commune . . . . .	40, 100	“ exsecta . . . . .	56, 89
“ formosum . . . . .	40	“ Oakesii . . . . .	89
“ gracile . . . . .	40	“ portoricensis . . . . .	58
“ juniperinum . . . . .	40	Schizopelte californica . . . . .	47
“ piliferum . . . . .	40, 94	Scleropodium apocladum . . . . .	94
Porella dentata . . . . .	89	“ illecebrum . . . . .	94
“ pinnata . . . . .	89	“ obtusifolium . . . . .	94
“ platyphylla . . . . .	89	“ purum . . . . .	41
“ rivularis . . . . .	89	Scytonema . . . . .	84, 85
“ Sullivantii . . . . .	89	Southbya . . . . .	34
“ Thuja . . . . .	88, 89	Sphærocarpus terrestris . . . . .	91
Porotrichum alopecurum . . . . .	32	“ texanus . . . . .	91
Porothamnium Bigelovii . . . . .	52	Sphagna . . . . .	37
“ ? neomexicanum . . . . .	52	Sphagnum . . . . .	2, 3, 44, 45, 65
Pottia intermedia . . . . .	40	“ acutifolium . . . . .	41, 44
Pressia commutata . . . . .	90	“ affine . . . . .	6
“ quadrata . . . . .	11, 90	“ alegrense . . . . .	9
Pseudoleskea . . . . .	43	“ Bartlettii . . . . .	9
Pseudotsuga taxifolia . . . . .	86	“ brevicaulis . . . . .	66
Pterigynandrum filiforme . . . . .	40	“ centrale . . . . .	70, 71, 72
Pterogonium gracile . . . . .	40, 94	“ compactum . . . . .	70
Ptilidium ciliare . . . . .	89	“ cubense . . . . .	66
“ crista-castrensis . . . . .	40	“ cuspidatum . . . . .	41
“ pulcherrimum . . . . .	89	“ cyclophyllum . . . . .	73
Ptychocoleus polycarpus . . . . .	63	“ cymbifolium, . . . . .	
“ torulosus . . . . .	62, 63	“ “ 7, 41, 64, 66, 72	
Pylaisia intricata . . . . .	40	“ “ ludovicianum. . . . .	64
“ polyantha . . . . .	40	“ degenerans . . . . .	6
Radula . . . . .	62	“ Earlei . . . . .	66
Raphidostegium carolinianum . . . . .	96	“ erythrocalyx, . . . . .	
“ “ admix- . . . . .		“ “ 64, 65, 66, 70, 73, 74	
“ “ tum. . . . .	96	“ fimbriatum . . . . .	41
“ demissum . . . . .	41	“ fuscum . . . . .	41
“ marylandicum . . . . .	96	“ Girgensohnii . . . . .	41, 96
Reboulia hemisphærica . . . . .	90	“ guadelupense . . . . .	65, 66
Rectolejeunea Brittoniae n. sp. . . . .	92	“ Guyoni . . . . .	65
Rhabdoweisia fugax . . . . .	41, 96	“ Harperi . . . . .	66
Rhacomitrium aciculare . . . . .	41	“ Henryense . . . . .	8, 9, 74
“ canescens . . . . .	41, 67	“ “ Bartlettii. . . . .	9
“ fasciculare . . . . .	41	“ Huntii . . . . .	66
“ heterostichum . . . . .	41	“ Husnoti . . . . .	65
“ lanuginosum . . . . .	41	“ imbricatum 2, 3, 4, 6, . . . . .	
“ patens . . . . .	41	“ “ 7, 9, 41, . . . . .	
“ sudeticum . . . . .	41	“ “ 70, 73, 74 . . . . .	
“ varium . . . . .	41	“ “ affine, 7, 8, 96 . . . . .	
Rhobryum roseum . . . . .	41	“ intermedium . . . . .	71, 72
Rhytidadelphus squarrosus . . . . .	41	“ ludovicianum . . . . .	64
“ triquetrus . . . . .	41	“ magellanicum, 70, 71, . . . . .	
Rhytidium rugosum . . . . .	41	“ “ 72, 73, 74, 96 . . . . .	
Riccardia . . . . .	34	“ “ 65, 70, 72 . . . . .	
“ latifrons . . . . .	90	“ “ papillosum . . . . .	65
“ multifida . . . . .	90	“ meridense versicolor . . . . .	70
“ pinguis . . . . .	90	“ molle . . . . .	41
“ sinuata . . . . .	90	“ molluscum . . . . .	41
Riccia Austini . . . . .	90	“ palustre, 6, 7, 8, 9, 63, . . . . .	
“ crystallina . . . . .	90	“ “ 64, 71, 72, 73, 74 . . . . .	

Sphagnum palustre affine . . . . .	6	Thuidicum leskeoides . . . . .	44
“ “ subsp. inter- . . . . .		“ leuconeurum . . . . .	44
“ “ medium . . . . .	71	“ microphyllum . . . . .	97
“ papillosum, 8, 41, 63, . . . . .		“ minutulum . . . . .	41
“ 64, 65, 71, 72, 73, . . . . .	74	“ punctulatum . . . . .	42
“ perichætiale . . . . .	65	“ quadrifarium . . . . .	41
“ portoricense, 2, 3, 4, 9, . . . . .		“ Solmsii . . . . .	44
“ 65, 70, 73, . . . . .	74	“ virginianum . . . . .	97
“ pseudocymbifolium . . . . .	8	Timmiella flexiseta . . . . .	94
“ pseudomedium . . . . .	72	“ vancouverensis . . . . .	94
“ pulchrum . . . . .	73	Toninia ruginosa . . . . .	84
“ Pylæsii . . . . .	73	Tortella cæspitosa . . . . .	41
“ recurvum . . . . .	41, 96	“ tortuosa . . . . .	41
“ Russowii . . . . .	41	Tortula brevipes . . . . .	94
“ Sintenisii . . . . .	66	“ muralis . . . . .	38, 94
“ squarrosom . . . . .	41	“ princeps . . . . .	94
“ subbicolor . . . . .	9, 70, 71, 72	“ ruralis . . . . .	94
“ subnitens . . . . .	41	Trachycolea (subgenus) . . . . .	23, 25, 26
“ subsecundum . . . . .	41, 73	Trachylejeunea dilatata n. sp. . . . .	91
“ turfaceum . . . . .	7, 8	Trematodon longicollis . . . . .	41, 43
“ Waghornei . . . . .	64	Trichocolea Biddlecomiæ . . . . .	89
“ Wrightii . . . . .	66	“ tomentella . . . . .	89
Sphenobolus exsectæformis . . . . .	56, 57, 58	Trichostomum cylindricum . . . . .	41
“ “ æqui- . . . . .		<b>Trimmatothele umbellulariæ</b> . . . . .	
“ loba, 56, 57 . . . . .		“ sp. nov. . . . .	82
“ exsectus . . . . .	56, 57, 89	Ulotia americana . . . . .	41
“ Hellerianus . . . . .	90	“ Ludwigii . . . . .	67, 97
“ Michauxii . . . . .	90	Umbellularia californica . . . . .	82, 84
“ minutus . . . . .	90	Usnea . . . . .	29, 80
“ politus . . . . .	58	“ angulata . . . . .	36
“ scitulus . . . . .	*54, 56, 57, 58	“ articulata . . . . .	30
Stereodon arcuatiformis . . . . .	41	“ barbata plicata . . . . .	30
“ arcuatus . . . . .	41	“ cavernosa . . . . .	30
“ circinalis . . . . .	41	“ ceratina . . . . .	30
“ cupressiformis . . . . .	41	“ “ f. subplicata . . . . .	30
“ curvifolius . . . . .	41	“ florida . . . . .	29
“ fertilis . . . . .	41	“ “ f. strigosa . . . . .	29
“ Haldanianus . . . . .	41	“ jamaicensis . . . . .	30
“ imponens . . . . .	41	“ longissima . . . . .	30
“ plicatulus . . . . .	41	“ plicata . . . . .	30
“ pratensis . . . . .	41	“ trichodea . . . . .	30
“ reptilis . . . . .	41	Vaccinium macrocarpon . . . . .	73
Stictæ . . . . .	35	Verrucaria biformis . . . . .	48
Symbezdium laceratum n. sp. . . . .	91	“ intercedens . . . . .	82
Taxilejeunea obtusangula n. sp. . . . .	92	Webera annotina . . . . .	41
Temnoma setiforme . . . . .	90	“ cruda . . . . .	41
Tetraplodon angustatus . . . . .	41	“ elongata . . . . .	41
Tetraplodon mnioides . . . . .	41	“ longicolla . . . . .	41
Thamnium alopecurum . . . . .	41	Weisia viridula . . . . .	41, 94
Thuidicum delicatulum . . . . .	41		

## INDEX TO TITLES

Abnormality in Moss Leaves ( <i>Illus.</i> ) H. N. Dixon . . . . .	38	Exchange Department— . . . . .	
Additions to the Lichen Flora of Southern California, No. 7. H. E. Hasse, M.D. . . . .	45-48	“ 17, 37, 53, 69, 87, 100 . . . . .	
Additions to the Recorded Mosses of West Virginia. John L. Sheldon . . . . .	95-97	Further Notes on the North American Distribution of the Genus Usnea. R. Heber Howe, Jr. . . . .	29, 30
Annual Reports S. M. Society. . . . .	13-17	Hedwigia albicans (Web.) Lindb. on Limestone. H. S. Jewett, M. D. . . . .	11
Brief Notes on the Distribution of Hepaticæ. George H. Conklin, M. D. . . . .	11, 12	Helpful Literature for Students of North American Hepaticæ. Caroline Coventry Haynes. (Includes lists of new species.) . . . . .	91-93
Correction, A. By H. S. Jewett, M. D. . . . .	69	Hepaticæ of the Sixth Edition of Gray's Manual Compared with The Exchange List. George Hall Conklin . . . . .	88-91
A New Frullania from Florida ( <i>Illus.</i> ). Alexander W. Evans . . . . .	22-26		



Leucodontopsis Cardot ( <i>Illus.</i> ) Elizabeth G. Britton . . . . .	26-28
List of Mosses Collected in South- ern California. C.C. Kingman.	93-95
Meeting of the S. M. Society in Washington, D. C. Edward B. Chamberlain . . . . .	35, 36
Mnium flagellare S. & L. in N. A. ( <i>Illus.</i> ). R. S. Williams . . . .	10
Molendoa tenuinervis Limpr. in America Arctica ( <i>Illus.</i> ). I. Györfy . . . . .	75-81
Mosses as a Factor in Land Con- servation. A. J. Grout . . . . .	37
Mosses Common to N. A. and Jap- an. E. Iishiba. Edited by J. M. Holzinger (194 species).	39-41
Necrology— Paris, Jean Gabriel Edward . . . .	97, 98
Levier, Dr. E. . . . .	98
Hooker, Sir Joseph Dalton . . . .	98
New North American Mosses of Jules Cardot. A. J. Grout.	51-53
New or Rare Californian Lichens. Albert W. C. T. Herre . . . . .	81-87
Note on Mosses Growing Unat- tached. H. N. Dixon . . . . .	31, 32
Notes—A. J. Grout . . . . .	53
Notes on Lepidozia setacea. E. J. Hill . . . . .	44, 45
Notes on North American Hepati- cæ III ( <i>Illus.</i> ). Alexander W. Evans . . . . .	54-63
Notes on North American Sphag- num II. Subgenus Inophloeæ. A. LeRoy Andrews, Ph.D. 1-9	1-9
Notes on North American Sphag- num III. A. LeRoy Andrews	63-66
Notes on N. A. Sphagnum IV. A. LeRoy Andrews . . . . .	70-74
Notes on the Mosses of Jamaica. Elizabeth G. Britton . . . . .	28, 29
Notice, Election Officers for 1913.	100
On the Resistance of Mosses to Drying and to Cold. Trans. etc. L. W. Riddle . . . . .	67-69
Philippine Bryophytes and Li- chens. C. B. Robinson. . . . .	32, 33
Photographing Mosses. A. J. Grout . . . . .	97
Reviews—Helpful Literature . . . .	91
Leopold Loeske: Revision einiger Amblystegien aus der Herbare Limpricht . . . . .	50
A Recent Contribution to the Ecology of Mosses . . . . .	67-69
The Juvenile Forms of Mos- ses and their Culture (P. Janzen) . . . . .	99, 100
Die Lebermoose in Raben- horst's Kryptogamen-Flora (K. Müller) . . . . .	33-35
Leopold Loeske: Studies in Comparative Morphology and the Phylogenetic Taxo- nomy of Mosses . . . . .	48-50

Student's Handbook of Brit- ish Hepatics (S. M. Macvicar) . . . . .	99
Sullivant Moss Society Notes— 17, 36, 69, 87	
The Genus Claopodium in Europe. Wm. Edward Nicholson . . . . .	41-44
The Genus Clastobryum Doz. and Molk. in America. R. S. Wil- liams . . . . .	31

## INDEX TO AUTHORS

Andrews, A. LeRoy, 1-9; 63-66; 70-74	
Bailey, H. B. . . . .	100
Britton, Elizabeth G. . . . .	26-29
Cardot, Jules (Transl.) . . . . .	51-53
Chamberlain, Edward B. . . . .	35, 36, 50
Conklin, George Hall. . . . .	15, 16, 88-91
Dixon, H. N. . . . .	31, 32, 38
Evans, Alexander W. . . . .	13, 22-26, 54-63
Grout, A. J. . . . .	37, 51-53, 97, 99
Györfy, I. . . . .	75-81
Hasse, H. E. . . . .	45-48
Haynes, C. C. . . . .	91-93
Herre, Albert W. C. T. . . . .	81-87
Hill, E. J. . . . .	44, 45
Holzinger, John M.—	
	39-41, 48-50, 99-100
Iishiba, E. . . . .	39-41
Jewett, H. S. . . . .	10, 69
Kaiser, George B. . . . .	13, 14
Kingman, C. C. . . . .	93-95
Miller, Mary F. . . . .	14, 15
Nicholson, Wm. Edward . . . . .	41-44
Riddle, L. W. . . . .	67-69
Robinson, C. B. . . . .	32, 33
Sheldon, John L. . . . .	95-97
Smith, Annie Morrill . . . . .	16, 97, 98
Warner, Edith A. . . . .	17
Williams, R. S. . . . .	10, 31

## ERRATA

- Page 11, line 7 from bottom, for *Wattiania*, read *Wattiana*.
- Page 65, lines 10 and 15 from bottom, for *guadalupense*, read *guadelupense*.
- Page 66, add following to bottom of page: "and that of both to *S. papillosum*." I must also refer to two specimens of "
- Page 71, line 6, for *si ed*, read *sized*.
- Page 71, line 14, for *eld*, read *el*.
- Page 71, line 16, for *an-*, read *and*.
- Page 72, line 19, for *pecies*, read *species*.
- Page 73, line 15, for *overly*, read *overlay*.
- Page 75, line 8 from bottom, for *Kristiana* read *Kristiania*.
- Page 82, line 1, for INTERCEDENS, read INTERCEDENS.
- Page 83, line 14 from bottom, for *park*, read *Park*.
- Page 84, line 1 from bottom, ditto.
- Page 93, line 5, for *Highlands, N. Y.*, read *Highlands, N. J.*
- Page 94, line 28, first column, for *trichyophylla*, read *trichophylla*.